



Regular hinges nickel silver

白铜对口铰链




- Regular hinges for soldering
 - 烧焊用对口铰
- Made from nickel silver
 - 白铜材质
- Optionally standard stop function at 85° - 90° - 95°
 - 三种停止角度可选，分别为：85° - 90° - 95°
- Available loose with corresponding minus screw
 - 提供散件，配一字螺丝
- Modification for Space Screw can be made upon request
 - 太空螺丝（即蓝胶螺丝）可以依要求定制



Profile: A – A型


Profile: B – B型

A1









non stop
无停止功能


A2







stop function
有停止功能



non stop
无停止功能



stop function
有停止功能



Width 宽度	Profile - Slot 类型 - 开槽	Stop angle (α) 停止角度	Art.No. 配件编号		Standard screws 标准螺丝	 Space Screws 99-0X3XX.600 太空螺丝	
			Female / 双齿	Male / 单齿			
2.5 mm - 1.0 mm	A1 - 1.0 mm	non stop 无停止	51-00105.900.0X	51-00105.900.03	99-47130 	99-02322  99-05322 	
	A2 - 1.2 mm	85°	51-01612.900.0X	51-01610.900.03		-	
		90°	51-01605.900.0X				
		95°	51-01610.900.0X				
	B - 1.0 mm	non stop 无停止	51-00655.900.0X	51-00655.900.03		99-02322  99-05322 	
		85°	51-01856.900.0X	51-01855.900.03			
		90°	51-01855.900.0X				
		95°	51-01907.900.0X				
3.0 mm	A1 - 1.2 mm	non stop 无停止	51-00110.900.0X	51-00110.900.03	99-47131 	99-02324  99-05324 	
	A2 - 1.6 mm	85°	51-01630.900.0X	51-01520.900.03			
		90°	51-01615.900.0X				
		95°	51-01620.900.0X				
	B - 1.2 mm	non stop 无停止	51-00660.900.0X	51-00660.900.03			51-01860.900.03
		85°	51-01872.900.0X				
		90°	51-01860.900.0X				
		95°	51-01861.900.0X				
3.5 mm	A1 - 1.4 mm	non stop 无停止	51-00120.900.0X	51-00120.900.03	99-47132 	99-02325  99-05325 	
	A2 - 1.6 mm	85°	51-01629.900.0X	51-01525.900.03			
		90°	51-01632.900.0X				
		95°	51-01631.900.0X				
	B - 1.6 mm	non stop 无停止	51-00665.900.0X	51-00665.900.03			51-01865.900.03
		85°	51-01867.900.0X				
		90°	51-01865.900.0X				
		95°	51-01866.900.0X				
4.0 mm	A1 - 1.6 mm	non stop 无停止	51-00130.900.0X	51-00130.900.03	99-47133 	99-02327  99-05327 	
	A2 - 1.6 mm	85°	51-01643.900.0X	51-01645.900.03			
		90°	51-01635.900.0X				
		95°	51-01640.900.0X				
	B - 1.6 mm	non stop 无停止	51-01870.900.0X	51-00670.900.03			51-01870.900.03
		85°	51-01875.900.0X				
		90°	51-01870.900.0X				
		95°	51-01874.900.0X				
5.0 mm	A1 - 2x1.2 mm	non stop 无停止	51-00134.900.0X	51-00134.900.03	99-47140 	-	
	A2 - 2x1.2 mm	85°	51-01648.900.0X	51-01648.900.03			
		90°	51-01651.900.0X				
		95°	51-02169.900.0X				
	B - 2x1.1 mm	non stop 无停止	51-01880.900.0X	51-00680.900.03		99-02334  99-05334 	
		85°	51-01882.900.0X	51-01880.900.03			
		90°	51-01880.900.0X				
		95°	51-01881.900.0X				
6.0 mm	A1 - 2x1.4 mm	non stop 无停止	51-00126.900.0X	51-00126.900.03	99-47142 	99-02376 	
	A2 - 2x1.4 mm	85°	51-01688.900.0X	51-01709.900.03			
		90°	51-01709.900.0X				
		95°	51-01708.900.0X				

